Application No. 10/049,975 Filed: October 1, 2002 Confirmation No.: 6238 TC Art Unit: 1641

REMARKS

The Applicants acknowledge that the Examiner has made the restriction requirement final. The claims not drawn to the claim group being examined are hereby withdrawn. However, the Applicants reserve their right to add back the withdrawn claims and argue later for rejoinder.

Pending claims 1-6, 27-37, 45-47, 52 and 54 (claims 53 and 55 having been cancelled in Applicants' Response to Restriction Requirement dated December 21, 2005) have been rejected under 35 U.S.C. § 112 for indefiniteness and lack of enablement. These rejections are respectfully traversed in light of the claim amendments and the remarks given below. Reconsideration is requested.

Claim 1 as amended herein is supported at least at p. 4, lines 1 to 8, and p. 4, line 34 to p. 5, line 8 of the English translation of the specification. Applicants submit that amended claim 1 and the claims depending thereon are definite and are Specifically, it should be noted enabled by the specification. that the subject matter of claim 1 of the present application is disclosed in a full, clear and concise manner that is sufficient for the method to be carried out by a person skilled in the art. In particular, it is disclosed on, e.g., the bridging paragraph of 8 and 9 as well as in Figs. 6a and 6b of the present application how to choose the concentration of a dye in order to assay substances according to the method characterized in present Therefore, the teaching of the present application claim 1. enables a person skilled in the art to successfully carry out the method as defined in present claim 1, particularly concerning the

Application No. 10/049,975 Filed: October 1, 2002 Confirmation No.: 6238 TC Art Unit: 1641

use of a suitable dye as well as the use of a suitable concentration thereof.

Concerning the Examiner's comment regarding claim 2, claim 2 has been amended to conform to the wording of this claim in the original English translation, the Applicants' submission of December 21, 2005, containing an incorrect wording of claim 2. This amendment is also supported in the specification as filed. See p. 4, line 15 of the English translation. Thus, Applicants submit that the rejection has been overcome.

Regarding claim 4, the Applicants submit that claim 4, as amended, is supported in the specification at least at p. 4, lines 16-17, of the English language translation. Thus, the rejection of claim 4 has been overcome.

Claim 27 has been amended to replace the wording "selected from the group of" by the wording "selected from the group consisting of." Applicants, therefore, submit that the rejection of claim 27 has been overcome.

Concerning the rejection of claim 28, claim 28 has been amended and new claim 56 added to address the concerns of the Examiner.

Concerning the rejection of claim 31, claim 31 has been amended and new claim 57 added to address the concerns of the The Applicants submit that it is a well known fact to skilled in the art that the trademarked compounds Cryptofluor Crimson and Cryptofluor Red contain as active agents product algae (cf. cryptomonad from isolated phycobilins information obtained from www.sigma-aldrich.com, a copy of which Therefore, the wording "Cryptofluor Crimson or is enclosed). Cryptofluor Red" has been replaced by the wording "low-molecular

Application No. 10/049,975 Filed: October 1, 2002 Confirmation No.: 6238 TC Art Unit: 1641

weight cryptomonad-derived phycobili proteins" in new dependent claim 57.

Regarding the objections raised by the Examiner against the alleged use of trademark compounds in the subject matter of present claim 32, it should be noted that it is clear to a person skilled in the art that Cy5 is not a trademark but an abbreviation for 5-N-N'-diethyltetramethylindodicarbocyanine (cf., for example, the abstract of Majumdar et al. (2001) Biophys. J. (Annual Meeting Abstracts) 80 (1): 483, a copy of which is enclosed), and claim 32 has been amended to incorporate this name.

Concerning the additional objection to claim 32, it is first pointed out that the acronym "BODIFY" should read "BODIPY." This error was introduced in the English translation. Original claim 12 of the German specification contains the correct acronym. Applicants submit that it is clear to a person skilled in the art that BODIPY is not a trademark but an acronym for dipyrromethene boron difluoride (cf., www.thefreedictionary.com, a copy of which is enclosed). Claim 32 has been so amended. Thus, Applicants submit that the rejection of claim 32 has been overcome.

Regarding claim 37, it is clear to a person skilled in the art that Brilliant Blue FCF is not a trademark but a trivial name for disodium alpha-(4-(N-ethyl-3-sulfonatobenzylamino) phenyl)-alpha-(4-N-ethyl-3-sulfonatobenzylamino, cyclohexa-2,5-dienylidene) toluene-2-sulfonate (cf., for example, www.saujanya.com, a copy of which is enclosed). Claim 37 has been so amended.

Claim 47, an "omnibus" claim, has been amended and new claims 60-62 have been added in parallel with earlier discussed claims.

Application No. 10/049,975 Filed: October 1, 2002 Confirmation No.: 6238

TC Art Unit: 1641

Applicants submit that the rejection of claim 47 has been overcome.

Claims 45, 46, 52 and 54 have been rejected as indefinite and as lacking utility. The indicated claims have been amended as suggested by the Examiner, and it is submitted that the rejections have been overcome.

Applicants submit that all claims are in condition for allowance and such action is respectfully requested.

The Examiner is encouraged to telephone the undersigned attorney to discuss any matter that would expedite allowance of the present application.

Respectfully submitted,

MANFRED SCHAWALLER, ET AL.

By: Holliday C. Heine, Ph.D.
Registration No. 34,346
Attorney for Applicant(s)

WEINGARTEN, SCHURGIN,
GAGNEBIN & LEBOVICI LLP
Ten Post Office Square
Boston, MA 02109

Telephone: (617) 542-2290 Telecopier: (617) 451-0313

HCH/raw 337204.1

Seite 1 von 1



©www.sigma-aldrich.com

Appln. Serial No: 10/049,975

17861 Biotin-CryptoFluor™ Crimson

Fluka BioChemika, for fluorescence

MDL number

MFCD03097680

Expand/Collapse All

Price and Availability Click For Pricing and Availability

Descriptions

General description The CryptoFluor™ dyes are phycobiliproteins isolated from cryptomonad algae

that provide additional spectral characteristics to complement the more common phycobiliproteins (e.g., R-PE and APC) as well as providing much smaller molecular weights (around 40,000 Daltons). These characteristics are meant to provide additional functionality to the phycobiliprotein pigments when it comes to

multiplexing assays or to getting dyes into the cell.

Packaging One vial contents 0.5 mg of conjugate and ~11 mg additives (see reconstitution)

Reconstitute to 250 µl with distilled or deionized water (the solution will consist of

100 mM sodium phosphate, pH 7.2, 50 mM sucrose, 0.05% sodium azide, 150 mM sodium chloride, 0.1% bovine serum albumin and 2 mg/ml pigment. Do not

freeze, store at 4 °C in the dark.

Properties

grade for fluorescence

product line BioChemika

mol wt M_τ ~40200 (αα'β₂)

fluorescence $\lambda_{\rm ex}$ 585 nm; $\lambda_{\rm em}$ -658 nm in 0.1 M phosphate pH 7.2

storage temp. 2-8°C

Print



Appln. Serial No: 10/049,975

Fluorescent Properties of Cy5 (5-N-N'-diethyl-tetramethylindo*di*carbocyanine) covalently linked to DNA

Zigurts K Majumdar, Maria Lucia D'Amico, Robert M Clegg: University of Illinois Urbana Champaign, Physics/LFD, Loomis Laboratory of Physics 1110 W. Green St., Urbana, IL 61801

Fluorescent dyes covalently linked at specific sites on nucleic acids are used for determining various properties of the nucleic acids, such as their structure and stability by the use of FRET. Photophysical studies lead to a better understanding of the interactions of molecules with the chromophore. The Cy3-Cy5 pair is an optimal donor-acceptor pair for FRET. Both dyes have high extinction coefficients (150,000 and 250,000 cm⁻¹M⁻¹, respectively) and their emission spectra are well separated from most sample autofluorescence. We present an analysis of the fluorescence properties of Cy5 attached to the 5' end of double-stranded (ds) DNA, with a C3-linker to the phosphodiester. Measurements of the fluorescence lifetime, time-resolved anisotropy and steady state measurements are used to understand the structure of the Cy5-DNA complex. Temperature and solvent effects on the fluorescence properties are studied as well. In addition to providing a better understanding of the structure of the Cy5-DNA complex, these measurements are compared to the analogous properties of Cy3 (5-N-N-diethyltetramethylindocarbocyanine) covalently attached to dsDNA with the same linker. This work was supported in part by the NIH, PHS 5 P41 RR03155.

. BODIPY - What does BODIPY stand for? Acronyms and abbreviations by the Free ... Seite 1 von 1

thefreedictionary.com

(C)

Appln. Serial No: 10/049,975

Acronym Definition

BODIPY DIPYrromethene BOron Difluoride


submit new definition

Powered by AcronymFinder.com @ 1988-2005, Mountain Data Systems, All rights reserved.

Copyright © 2005 Farlex, Ing, Source URL: http://acronyms.thefreedictionary.com/BODIPY

BRILLIANT BLUE FCF - Food Colors - WELCOME TO SAUJANYA DYE CHE... Seite 1 von 2

Appln. Serial No: 10/049,975



Click and Go for other products of Food Colours

choose a colour

BRILLIANT BLUE FCF

SYNONYMS	BRILLIANT BLUE FCF * C. I. FOOD BLUE 2 * FD & C BLI ACID BLUE 9
DEFINITION	Brilliant Blue FCF consists essentially of disodium alphethyl-3-sulfonatobenzylamino) phenyl)-alpha-(4-N-ethyl-sulfonatobenzylamino, cyclohexa-2,5-dienylidene) tolue sulfonate and its isomers and subsidiary colouring mattogether with sodium chloride and/or sodium sulfate as principal uncoloured components. Brilliant Blue FCF is described as the sodium salt. The and the potassium salt are also permitted.
CLASS	Triarylmethane
COLOUR INDEX NO.	42090
EEC NUMBER	E-133
EINECS	223-339-8
CHEMICAL NAMES	Disodium alpha -(4-(N-ethyl-3-sulfonatobenzylamino) phalpha-(4-N-ethyl-3-sulfonatobenzylamino, cyclohexa-2,5 dienylidene) toluene-2-sulfonate
CHEMICAL FORMULA	C ₃₇ H ₃₄ N ₂ Na ₂ O ₉ S ₃
MOLECULAR WEIGHT	792.84
ASSAY	Content not less than 85% total colouring matters, calcuthe sodium salt; E 1% 1cm 630 at ca 630 nm

DESCRIPTION	Reddish-blue powder
IDENTIFICATION	
a. Spectrometry b. Blue solution in water	Maximum in water at ca 630 nm
PURITY Water Insoluble matter	Not more than 0.2%
Subsidiary colouring matters	Not more than 6.0%
Organic compounds other than colouring matters	[Sum of 2-, 3- and 4-formyl benzene sulfonic acids] - No than 1.5% [3((ethyl)(4-sulfophenyl)amino) methyl benze acid] - Not more than 0.3%
Leuco base	Not more than 5.0%
Unsulfonated primary aromatic amines	Not more than 0.01% (Calculated as aniline)
Ether extractable matter	Not more than 0.2% at pH7
Arsenic	Not more than 3 mg/kg.
Lead	Not more than 10 mg/kg.
Mercury	Not more than 1 mg/kg.
Cadmium	Not more than 1 mg/kg.
Heavy metals (as Pb)	Not more than 40 mg/kg.

|| Food Colours ||

|| TARTRAZINE|| SUNSET YELLOW FCF || PONCEAU 4R || CARMOISINE || INDIGO CARMINE || ERYTHROSINE || AMARANTH || QUINOLINE YELLOW-WS || BRILLIANT BLUE FCF || CHOCOLATE BROWN || || <u>ALLURA RED || PATENT BLUE V || FOOD GREEN S || BLACK PN || FAST RED E ||</u>

[Home] [Contact Us] [Feedback Form] [Solvent Dyes] [Lake Colours] [Pigment Powders] [Acid Dyes][Basic Dyes][Napthol Dyes][Direct Dyes][Vat Dyes] [Fast Bases][Reactive Dyes]

BRILLIANT BLUE FCF



BRILLIANT BLUE FCF * C. I. FOOD BLUE 2 * FD & C BLUE 1 * ACID BLUE 9
Brilliant Blue FCF consists essentially of disodium alpha-(4-(N-ethyl-3-sulfonatobenzylamino) phenyl)-alpha-(4-N-ethyl-3-sulfonatobenzylamino, cyclohexa-2,5-dienylidene) toluene-2-sulfonate and its isomers and subsidiary colouring matters together with sodium chloride and/or sodium sulfate as the principal uncoloured components. Brilliant Blue FCF is described as the sodium salt. The calcium and the potassium salt are also permitted.
Triarylmethane
42090
E-133
223-339-8
Disodium alpha -(4-(N-ethyl-3- sulfonatobenzylamino) phenyl)-alpha-(4-N-ethyl- 3-sulfonatobenzylamino, cyclohexa-2,5- dienylidene) toluene-2-sulfonate
C ₃₇ H ₃₄ N ₂ Na ₂ O ₉ S ₃
792.84
Content not less than 85% total colouring matters, calculated as the sodium salt; E 1% 1cm 630 at ca 630 nm
Reddish-blue powder
Maximum In water at ca 630 nm
Not more than 0.2%

Subsidiary colouring matters	Not more than 6.0%
Organic compounds other than colouring matters	[Sum of 2-, 3- and 4-formyl benzene sulfonic acids] - Not more than 1.5% [3((ethyl)(4- sulfophenyl)amino) methyl benzene sulfonic acid] - Not more than 0.3%
Leuco base	Not more than 5.0%
Unsulfonated primary aromatic amines	Not more than 0.01% (Calculated as aniline)
Ether extractable matter	Not more than 0.2% at pH7
Arsenic	Not more than 3 mg/kg.
Lead	Not more than 10 mg/kg.
Mercury	Not more than 1 mg/kg.
Cadmium	Not more than 1 mg/kg.
Heavy metals (as Pb)	Not more than 40 mg/kg.

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record.

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:		
☐ BLACK BORDERS		
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES		
☐ FADED TEXT OR DRAWING		
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING		
☐ SKEWED/SLANTED IMAGES		
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS		
☐ GRAY SCALE DOCUMENTS		
☐ LINES OR MARKS ON ORIGINAL DOCUMENT		
REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY		
OTHER:		

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.